neo Dumps

VMware

2V0-71.21 Exam

VCP-AM 2021

Questions & Answers

(Demo Version - Limited Content)

Thank you for Downloading 2V0-71.21 exam PDF Demo

Get Full File:

https://neodumps.com/2v0-71-21/

WWW.NEODUMSP.COM

Version: 4.0

|--|

Which is the correct option to forward logs from Tanzu Kubernetes Grid clusters to Elastic, Kafka, Splunk or an HTTP endpoint?

- A. No action is required. Tanzu Kubernetes Grid automatically forwards the logfiles to syslog.
- B. Use the kubectl get logs command to forward the logs
- C. Deploy the fluent bit plugin to vRealize Log Insight
- D. Deploy Fluent Bit to forward the logs

Answer: D

Reference: https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-08DE295D-0327-4FED-804C-FC35EBFBE254.html

Question: 2

Refer to the exhibit.

In the following StorageClass manifest, which field is used to specify the Volume Plugin driver used for underlying storage array?

```
apiVersion: storage.k8s.io/v1
kind: StorageClass
metadata:
   name: standard
provisioner: kubernetes.io/aws-ebs
parameters:
   type: gp2
reclaimPolicy: Retain
allowVolumeExpansion: true
mountOptions:
   - debug
volumeBindingMode: Immediate
```

- A. type
- B. name
- C. parameters

D. provisioner		
Answer: D		
Reference: <a docs.vmware.com="" en="" href="https://support.purestorage.com/Solutions/VMware_Platform_Guide/User_Guides for VMware_So_lutions/VMware_Tanzu_User_Guide/Tanzu_User_Guide%3A vVols_Usage_Vser_Guide%3A vVols_Usage_</td></tr><tr><td>Question: 3</td></tr><tr><td>Which option of Tanzu Mission Control is used to manage namespaces within and across clusters?</td></tr><tr><td>A. Workspaces B. Workhome C. Workloads D. Workgroup</td></tr><tr><td>Answer: A</td></tr><tr><td>Reference: https://docs.vmware.com/en/VMware-Tanzu-Mission-Control/services/tanzumc-concepts.pdf (6)		
Question: 4		
Which step must be taken to enable Kubernetes auditing on a Tanzu Kubernetes cluster?		
A. Set the ENABLE_AUDIT_LOGGING variable to 'true' before deploying the cluster B. Run systemctl start auditd && systemctl enable auditd on master node C. Audit is enabled by default on every Tanzu cluster		
D. Edit /etc/kubernetes/audit-policy.yaml and set ENABLE_AUDIT variable to '1' on master node		
Answer: A		
Reference:		

D. tkg upgrade management-cluster	
	Answer: D

Reference: https://vmtechie.blog/2020/06/17/upgrade-tanzu-kubernetes-grid/

Thank You for trying 2V0-71.21 PDF Demo

https://neodumps.com/2v0-71-21/

Start Your 2V0-71.21 Preparation

[Limited Time Offer] Use Coupon "SAVE20" for extra 20% discount on the purchase of PDF file. Test your 2V0-71.21 preparation with actual exam questions