

# Juniper

## JN0-412 Exam

Juniper Cloud Certification

# Questions & Answers

(Demo Version - Limited Content)

Thank you for Downloading JN0-412 exam PDF Demo

Get Full File:

<https://neodumps.com/jn0-412/>


# Version: 4.0

---

## Question: 1

---

Click the Exhibit button.



The exhibit displays a Contrail analyzer virtual machine's console. Which two statements are true in this scenario? (Choose two.)

- A. The ping traffic is initiated by a virtual machine with an IP address of 20.0.0.3.
- B. The ping traffic is initiated by a virtual machine with an IP address of 20.0.0.4.
- C. The Contrail analyzer virtual machine's IP address is 10.85.29.11.
- D. The Contrail analyzer virtual machine's IP address is 20.0.0.4.

---

**Answer: AC**

---

---

## Question: 2

---

You decide to create only host routes for each of your virtual networks in a project. Each virtual network is sent its correct host prefix. When troubleshooting inter-VN connectivity, using the ping command, the response times out between two virtual networks even though your policies allow for it.

What is the problem in this scenario?

- A. The VMs do not have interfaces.
- B. Using host routes prevents the default route from being sent.
- C. Your VMs have incorrect DNS settings.
- D. The IPAM settings are incorrect.

---

**Answer: C**

---

---

**Question: 3**

---

Which command displays routes in vRouter VRF?

- A. rt
- B. show route
- C. show route table vrf-name
- D. route print

---

**Answer: A**

---

Reference:

[https://www.juniper.net/documentation/en\\_US/contrail2.21/topics/task/configuration/vrouter-cli-utilities-vnc.html](https://www.juniper.net/documentation/en_US/contrail2.21/topics/task/configuration/vrouter-cli-utilities-vnc.html)

---

**Question: 4**

---

What are two networking components of OpenStack? (Choose two.)

- A. Neutron
- B. Nova
- C. IroniC
- D. Barbican

---

**Answer: AB**

---

Reference: <https://docs.openstack.org/newton/networking-guide/intro.html>

---

**Question: 5**

---

What are two characteristics of containers used in Contrail? (Choose two.)

- A. Each container has the configuration for all applications running in that container.
- B. Each pod can contain only one container.
- C. Each container has the configuration for all applications running in all containers.
- D. Each pod can contain several containers.

---

**Answer: AB**

---

Reference: [https://www.juniper.net/documentation/en\\_US/contrail19/topics/concept/summary-of-container-](https://www.juniper.net/documentation/en_US/contrail19/topics/concept/summary-of-container-design.html) design.html

**Thank You for trying JN0-412 PDF Demo**

<https://neodumps.com/jn0-412/>

**Start Your JN0-412 Preparation**

*[Limited Time Offer]* Use Coupon "**SAVE20**" for extra 20% discount on the purchase of PDF file. Test your JN0-412 preparation with actual exam questions